Broad-spectrum antibacterial protection against the microorganisms commonly found in wounds.

Bacteria

- Methicillin-resistant Staphylococcus aureus (MRSA)
- Staphylococcus aureus
- Staphylococcus epidermidis (coagulase negative)
- Pseudomonas aeruginosa
- Pseudomonas fluorescens
- Escherichia coli
- Enterococcus faecalis
- Vancomycin-resistant Enterococcus (VRE)
- Streptococcus pyogenes
 - Klebsiella pneumoniae
 - Proteus mirabilis
 - Proteus vulgaris
 - Enterobacter aerogenes
 - Bacillus subtilis

- Yersinia enterocolitica
- Serratia marcescens

east

- Candida albicans
- Candida krusei
- Candida glabrata

Indicated for use: Pressure ulcers, diabetic ulcers, venous stasis ulcers, arterial ulcers, superficial burns, donor sites, post-surgical incisions, trauma wounds, abrasions, lacerations

Ordering Information



Hydrate before use

Hydrofera Blue CLASSIC antibacterial dressing

(Originally marketed as: Hydrofera Blue antibacterial foam dressings)

Stock No	Product Size	Quantity/Box	HCPCS*	
Standard Dressings HB2214 HB4414 HB6614 HBT0906	2" x 2" (5 cm x 5 cm) 4" x 4" (10 cm x 10 cm) 6" x 6" (15 cm x 15 cm) 9 mm Tunneling Dressing (1.2 q)	10 10 10 10 pair	A6209 A6209 A6210 A6215	
Heavy Drainage Dres	0 0 0			
HBHD4450	4" x 4" x .5" thick (10 cm x 10 cm x 1.2 cm)	5	A6209	
HBHD6675	6" x 6" x .75" thick (15 cm x 15 cm x 1.9 cm)	5	A6210	
Dressings With Moisture-Retentive Film				
HBRF4414	4" x 4" (10 cm x 10 cm)	10	A6209	
HBRF2258	2.25" x 8" (5.7 cm x 20 cm)	10	A6210	
HBRF4475	4" x 4.75" (10 cm x 12 cm) Island Dressing; pad size 2" x 2.75" (5 cm x 6.5 cm)	10	A6212	
HBRF2650	2.5" (6 cm) Diameter Ostomy Dressing	10	A6209	

also available



Hydrofera Blue READY antibacterial dressing

Stock No	Product Size	Quantity/Box	HCPCS*
Standard Dressings			
HBRS2520	2.5" x 2.5" (6.4 cm x 6.4 cm)	10	A6209
HBRS4520	4" x 5" (10.2 cm x 12.7 cm)	10	A6210
HBRS8820	8" x 8" (20.3 cm x 20.3 cm)	10	A6211

1. Sibbald RG, Ovington L, Ayello E, Goodman L, Elliott J. Wound bed preparation 2014 update: management of critical colonization with a gentian violet and methylene blue absorbent antibacterial dressing and elevated levels of matrix metalloproteases with an ovine collagen extracellular matrix dressing. Advances Skin Wound Care 2014; 27(3) s1-6. 2. Applewhite AJ, Attar P, Liden B, Stevenson Q. Gentian violet and methylene blue polyvinyl alcohol foam antibacterial dressing as a viable form of autolytic debridement in the wound bed. Surg Technol Int. 2015. In press. 3. Coutts PM, Ryan J, Sibbald RG. Case series of lower-extremity chronic wounds managed with an antibacterial foam dressing bound with gentian violet and methylene blue. Adv Skin Wound Care. 2014; 27(3 Suppl 1):9-13. 4. Edwards K. New twist on an old favorite: gentian violet and methylene blue antibacterial foam dressings. Adv Wound Care (New Rochelle). 2015. In Press. 5. Shi L, Ermis R, Kiedaisch B, Carson D. The effect of various wound dressings on the activity of debriding enzymes. Adv Skin Wound Care. 2010;23(10):456-62. 6. Swan H, Trovela, VJ. Case study review: use of an absorbent bacteriostatic dressing for multiple indications. Poster presented at Clinical Symposium on Advances in Skin and Wound Care; September 9-11, 2011; Washington, D.C. 7. Weir, D., Blakely, M, Case Review of the clinical Use of an Antimicrobial PVA Foam Dressing. Poster presented at the Clinical Symposium on Advances in Skin and Wound Care; September 9-11, 2011, Washington, D.C. 8. Based on a January 2015 analysis of publicly available pricing of major brand non-adhesive, silver foams available on the internet as compared to the per-unit suggested retail price of Hydrofera Blue. 9. Internal data on file 10. Conwell P, Mikulski L, Tramontozzi M. A comparison of two antimicrobial dressings: a randomized prospective trial comparing PVA foam with two organic pigments to a silver based wound dressing. Poster presented at: Symposium on Advanced Wound Care, May 2-5, 2004; Lake Bu

For product questions, sampling needs, or detailed clinical questions concerning our products in the US call **860-337-7730**

Hydr\delta\text{fera}\text{\text{\$^{\circ}}}

www.hydrofera.com

Hydrofera Blue Dressings Manufactured By: Hydrofera, LLC 340 Progress Drive Manchester. CT 06042 USA Caution: Federal (USA) law restricts this device to sale by or on the order of a physician (or properly licensed practitioner). Prior to the use of this device be sure to read the complete information on how to use this device including Warnings, Precautions and Instructions for Use and all other package inserts supplied with the product.

*HCPCS are for reference only and subject to change.

Hydrofera Blue Ready and Hydrofera Blue are trademarks of Hydrofera, LLC. All other trademarks are the property of their respective owners.

©2018 Hydrofera, LLC 001-0518

Choose Blue.

Hydrofera Blue CLASSIC

antibacterial dressings



The choice for:

Broad-spectrum antibacterial protection

Rapid wicking and exudate retention

Autolytic debridement

Edge effect






Choose Hydrofera Blue CLASSIC Dressings to Address Wound Bed Preparation

Successful wound management requires management of bioburden, maintaining moisture balance and removal of devitalized tissue.

Hydrofera Blue CLASSIC dressings can help all of these in a single dressing.

The Wound Bed Preparation Paradigm¹



Sibbald, Ovington, Ayello, Goodman, Elliott, 2014.1



Choose Without Compromise


✓ Choose Blue: Bioburden Management

- Broad-spectrum antibacterial activity provided by two well-known organic pigments, methylene blue and gentian violet
- Non-cytotoxic
- Less expensive than many silver foam dressings8

✓ Choose Blue: Autolytic Debridement

- Multiple authors have observed autolytic debridement with use of Hydrofera Blue CLASSIC dressings.²⁻⁴
- In a porcine eschar study, a statistically significant reduction in eschar was seen when Hydrofera Blue CLASSIC dressing was used.² These results may not be representative of effects in humans.

Hydrofera Blue CLASSIC dressings are compatible with enzymatic debriders⁵



In-vitro 24-hour digestion of collagen in Artificial Eschar Model by Collagenase


Example of devitalized tissue removed at dressing change



✓ Choose Blue: Moisture Management

Hydrofera Blue CLASSIC dressings' micro-pore structure is specifically designed for wound care. It maintains similar absorbency as compared to other highly absorptive dressings.

Absorbency compared to other foam dressings9



✓ Choose Blue: Edge Effect

Multiple authors have noted resolution of epibole or flattening of wound edges with use of Hydrofera Blue CLASSIC dressings^{4, 6, 7}

Hydrofera Blue CLASSIC dressing addresses edge effect¹⁰

